· "格 ,(' ')

.

531.33 Mil.

AN ATLAS OF

ABSORPTION SPECTRA

BY

C E KENNETH MEES, DSc (LOND)



LONGMANS, GREEN, AND CO

39, PATERNOSTER ROW, LONDON NEW YORK, BOMBAY, AND CALCUTTA

WRATTEN AND WAINWRIGHT, LTD
CROYDON

1909





AN ATLAS OF ABSORPTION SPECTRA.

INTRODUCTION.

One of the branches of our Works being concerned with the manufacture of Colour Filters for all purposes, our laboratory has naturally devoted a considerable amount of attention to the measurement of dye-stuffs, with a view to selecting those suitable for various purposes. Of published records of Absorptions, there are few, and the only atlas of Absorption Spectra, giving Spectra in a convenient form, which is accessible to the student, is the very valuable atlas by Uhler & Wood, published by the Carnegie Institute of Washington. The book by Formánek, useful as it is, can scarcely be termed an "Atlas"

The above-mentioned Atlas was prepared specially with regard to absorptions in the ultra-violet, and to this end the spectra have been photographed with great care, but for the purpose of producing filters for visual work and for photographic work with red-sensitive plates it is necessary to pay special attention to the red, and even the infra-red portions of the spectrum, which are not included in the photographs taken by Uhler & Wood

Moreover, the dyes used by Uhler & Wood do not include all those in common use, much attention having been paid to the orange and red dyes, while the greens are almost entirely neglected, and the blue dyes have been photographed only to a small extent For visual

work greens are among the most important dye colours

For these reasons, our laboratory compiled an atlas for themselves, specially adapted for the purpose of selecting dyes for the manufacture of Filters, and when the work was finished it was decided to publish this atlas. We have added to the photographs of dye-stuffs a series of photographs showing the absorptions of some seventy of our own Filters, and we believe that this additional atlas may be of use to those who wish to use filters of a particular kind, and do not want the trouble of preparing their own

Our best thanks are due to Dr Roques and Dr E Koenig, of the Farbwerke, Hoechst, a/M, both for much direct assistance given, and also for the many valuable new dyes which have been worked out in their laboratories and made available for commerce Dr Koenig also read the proofs and revised the list of dyes, supplying much valuable information, including the column giving the Stability to

Light

RESEARCH LABORATORY OF WRATTEN & WAINWRIGHT, LTD

C. E KENNETH MEES (Director)

MATERIAL.

Most of the dye samples which have been photographed were obtained from the Hoechst Farbwerke, and these are generally pure Those samples which were not chemically pure are indicated in the list by an asterisk This indication is only to be taken as meaning that the sample used was not specially purified from inorganic salts, it does not mean that the dye cannot be obtained in a Many of the dyes can be obtained from any dye works. and the origin of some of ours is not known Where possible, we have shown from where they were obtained All the dyes were The Filters represent those which we measured in water solution have in stock These filters are prepared by coating gelatine solutions of the dye, and after drying, stripping the film from glass They are standardised by comparison with a standard which is kept, and of which the absorption curve has been measured on a spectro-photometer, a comparison being performed by the aid of a crossing filter which allows only a small portion of the spectrum to be passed, when placed over the portion of the filter to be examined The tricolour Green filter B, for instance, is tested by means of the tricolour Blue and tricolour Red filters The test consists of a piece of standard Red and a piece of standard Blue side by side, with the standard piece of Green covering half of each of them The sheet to be tested is placed so as to cover the other half of each film, and a small deviation from standard can be easily perceived on looking through at a The filters are put on the market as film, diffused light source and also as prepared filters cemented in glass They are used for orthochromatic and tricolour photography, photo-micrography, spectroscopy, etc

Probably this complete list of the standard varieties which we keep will be of considerable use to our readers. We have, of course, a number of variants of these standards, and also some special filters for which the use is limited, and which we have not given here

APPARATUS.

The spectroscope used was a small box-form spectroscope with a The slit was used at a width of about 1/3 m/m, and a scale was fastened in front of the plate with a yellow film arranged to cut out the ultra-violet of the second order, where it overlapped in the The scale was adjusted so that approximate wave-lengths could be read direct on the photographs The apparatus was arranged with a Nernst lamp, focussed by means of a condenser upon the horizontal slit, in front of the slit was held a wedge cell containing the dye solution to be photographed (Fig 1) This wedge cell was a rectangular cell of 1 c/m internal length, and 5 m/m internal width, with a diagonal partition which divided it into two wedge-shaped cells One of these was filled with the dye solution to be photographed, the other contained plain water. In this way the absorption of the dye varied from end to end of the slit, from a very slight thickness of dye to a very considerable thickness, the actual ratio of thickness from end to end of the slit being about 1 to 15

The photographs of dye spectra therefore show graphically the variation in the absorption with growing thickness of dye, or what is

nearly the same thing, with growing concentration




Fig 1 Arrangement of Spectroscope



Fig 2 Wedge Spectrum of Wratten Spectrum Panchromatic Plate



Fig 3 Black Wedge Spectrum of Screened Plate




Fig 4 Black Wedge




Fig 4 Dye Wedge

THE PLATE AND THE COMPENSATING FILTERS.

We were very desirous in this investigation to use as extended a spectrum as possible, and we particularly required to photograph far into the deep Red and Infra Red For this reason we used the plate which we manufacture for use in the photography of the extreme and Infra red, and which we term the "Spectrum Panchromatic" This plate, beside the usual maximum in the violet, has a very strong maximum at 6,500 in the Red, and then falls off towards the With long exposures, its sensitiveness extends to 8,000 It will be seen, however, from Fig 2, which shows its curve to the Nernst lamp, that its distribution of sensitiveness throughout the spectrum is unequal. This was compensated by the introduction of a special screen and two cells containing solutions of Mandarine Orange and P-nitrosodimethylaniline By this means, a very even spectrum indeed was obtained, extending from about 7,200 to 3,900, and falling off on the one side gradually to 7.500, and on the other 3,500 (Fig 3)

Two groups of dyes, however, were photographed with other arrangements. The dyes which absorb mainly in the Infra Red, beside being photographed for the whole spectrum, were photographed especially for the Red and Infra Red, a Red screen being used, the Spectrum Panchromatic plate and another special filter enabling us to get records extending to 8,000. The Yellows, on the other hand, were photographed on a plate not sensitive to Red, and with stronger solutions of Mandarine Orange and P-nitrosodimethylaniline, enabling us to get even records to 3,500.

THE SPECTRUM PHOTOGRAPHS OF FILTERS.

With the filters, we were of course unable to use the wedge cell, and in order to get a graphic representation of the variation of their absorption with wave-length, we used the Spectrum Panchromatic plate, adjusted, as before, and fitted a black wedge made of neutral black glass in front of the slit, in the place of the wedge cell. This black glass gives a range of intensity from end to end of the slit of from 1 to 10,000, and the practically useful portion of the gradation has a range of about 1 to 400. On putting a filter in front of this, we get a graphic representation of the intensity of the light coming through, the interpretation of which is to some extent complicated by the fact that it is affected by the sensitiveness curve of the plate. It seems, however, to be the most satisfactory method of automatically representing the curve of a filter.

Fig 4 shows for comparison purposes the absorption spectrum of a dye wedge of Xylene Red, and the absorption of a cell of the same solution measured by means of a black wedge. It will be seen that while the latter result is not so satisfactory as the dye wedge, it does give a very good idea as to the variation of the transmission of the light in the spectrum

INDEX OF DYES.

No	Page	Name of Dye	Strength		Basic	Stability to Light represents
1	13	β -Naphtholdisul-				highest stability,
•		phonic Acid R	1/2,500	H (Hœchst)	A	5 lowest)
2	13	β -Naphtholdisul-		**	Α.	
		phonic Acid R	1/100	H	A	
3	13	Æsculine	1/1,000	Merck	۸	
4	13	Picric Acid	1/100	**	A A	2
5	14	Filter Yellow K.	1/1,000	H *	A	4
6	14	Martius Yellow .	1/2,500	•	Λ	
7	14	Aurophenine Am-				
		monia Salt (Chry-	7 (7 000	н	A	1-2
		sophenine)	1/1,000	Badische *	Â	4-5
8	14	Naphthol Yellow	1/1,000	H	A	
9	15	Beizengelb O 5G	1/1,000	Ĥ	Ā	2-3
10	15	Pinatype Yellow F	1/5,000	Bayer *	Ā	
11	15	Thiazole Yellow	1/2,500	H	B	3
12	15	Auramine	1/10,000	1.1	-	ŭ
13	16	p-nitrosodimethyl-	1/2,000	H	В	
		anılıne	1/5,000	Bayer *	Ã	2-3
14	16	Tartrazine	1/0,000	Dayer		
15	16	Pinatype Gold	1/5,000	н	${f A}$	3-4
	7.0	Yellow	1/10,000	Agfa *	Ā	
16	16	Mandarine Orange	1/10,000	11614		
17	17	p-toluchinolinchlor-	1/1,000	H		5
4.0	1 77	aceticester dyestuff	1/10,000	Ĥ	В	
18	17	Flavophosphine	1/5,000	Leonhardt, Mulhein		2-3
19	17	Acridine Orange Auracine G	1/5,000	Bayer *	A	
20			1/5,000	H*	A	3
21	18 18	Uranine	1/10,000	$ar{ extbf{H}}$	В	
$\frac{22}{23}$		Chrysoidine Chrysoidine	1/1,000	H	В	4
23 24		Pinatype Purple .	1/1,500	H (Mixture) A	2
25 25		Pinatype Red	1/1,500	H	' A	1
26		Fast Red	1/1,000	H	\mathbf{A}	3-4
27 27		Rapid Filter Red	1/2,000	H	A	2
28		Rapid Filter Red.	1/1,000	H	\mathbf{A}	2
29			1/200	H	\mathbf{A}	
30			-1			
90	. 20	Scarlet	1/1,500	${f H}$	A	
31	. 20		-1-1			
0.1	. 20	Scarlet	1/1,000	${f H}$	A	
32	20		-1-,			
32	∪ىي ،	Scarlet	1/800	H	A	

	_				Acid or	
No	Page		Strength	Source of Dye	Basic	to Light
33	21	Complementary	1 /0 000	**		
94	0.1	Red 1	1/2,000	H	Α	
34	2 1	Complementary	1/1 000	н	A	
35	21	Red 1 .	1/1,000	п	A	
30	4 1	Complementary Red D .	1/1,500	н	Α	3-4
36	21	Brilliant Carmine C	1/2,000	Badische	A	0-1
37	22	Crystal Ponceau .	1/1,000	H	Ā	3
38	$\frac{22}{22}$	Crystal Ponceau	1/500	Ĥ	Ã	·
39	$\overline{22}$	Brilliant Croceine	1/2,000	Ĥ	Ā	
40	$\overline{22}$	Coccinine	1/1,000	Ĥ	Ā	2
41	23	Alizarine Red	1/2,000	Ĥ	Ā	2-3
42	23	Congo Red	1/2,000	*	\mathbf{A}	
43	23	Congo Red	1/1,000	*	A	3-4
44	23	Iodobenzoin 92	1/200	H	A No	t on market
45	24	Azıne Scarlet .	1/500	Ħ	A	
46	24	Fluorescinate of	•			
		Sodium (Uranine,				
		pure) `	1/1,000	H	A	4-5
47	24	Monobromofluores-	,			
		cinate of Sodium	1/1,000	H	Α	4 5
48	24	Dibromofluorescin-				
		ate of Sodium	1/1,000	H	\mathbf{A}	
49	25	Eosin Yellow Bayer	1/1,000	Bayer *	\mathbf{A}	
50	25	Eosin Blue	1/1,000		Α	
51	25	Tetrabromofluores-				
		cinate of Sodium				_
		(Eosin, pure)	1/1,000	H	A	5
52	25	Diiodofluorescinate	7 /7 000			
		of Sodium	1/1,000	H	A	
53	26	Tetraiodofluorescin-				
		ate of Sodium	7 /7 000	TT		
= 1	0.0	(Erythrosin, pure)	1/1,000	H	A	5
54	26	Scarlet B B extra N	1/1,000	H	A	
55 56	26 06	Scarlet B B extra B	1/2,000	H	A	
56 57	$\frac{26}{27}$	Scarlet B B extra B	1/1,000	H	A	
57	21	Tetraiododichloro-				
		fluorescinate of				
		Sodium (Rose Ben-	1/1 500	TĽ	1	K
58	27	gal) .	1/1,500	H H	$egin{array}{c} \mathbf{A} \\ \mathbf{A} \end{array}$	5 5
5 9	$\frac{27}{27}$	Rose Bengal 5 B	1/1,000 1/4,000	H	A	5 5
60	$\frac{27}{27}$	Rose Bengal 5 B Rose Bengal 5 B	1/4,000	H	A	5 5
61	28	Cyanosine	1/1,000	H	A	5
62	28	Phloxine B.A Extra	1/1,000	H	A	5
63	28	Phloxine 194 .		H	A	5 5
UJ	40	EMOXING 194 .	1/1,000	п	τı	υ

			v			
No	Page	Name of Dye	Strength	Source of Dye	Acid or S Basic t	Stability o Light
	_		1/3,000	H	Α	5
64	2 8	Phloxine A	1/1,000	Ĥ	B	5
65	29	Phloxine Rhodamine	1/1,000	$\overset{ ext{ii}}{ ext{H}}$	B	3-4
66	29	Rhodamine 6 G	1/1,000	11	D	
67	2 9	Tetramethyl Rhoda- mine	1/2,000	H	В	3-4
68	29	Acid Rhodamine 3		**	Δ.	
		R .	1/1,000	H	A	9.4
69	3 0	Rhodamine B	1/1,000	Bayer *	В	3-4
70	3 0	Phenosafranine	1/2,000	H	В	
71	30	Xylene Red B	1/2,500	H	A & B	
$7\overline{2}$	30	Amidonaphthol Red	•			
•-	••	6 B	1/2,500	H	\mathbf{A}	2-3
73	31	Safranine G	1/2,500	H	\mathbf{A}	3
74	31	Safranine R .	1/2,500	\mathbf{H}	\mathbf{A}	3
75	31	Pinatype Amaranth	1/1,000	\mathbf{H}	\mathbf{A}	3-4
76		Pinatype Violet	$\frac{1}{2},000$	H	A	3-4
	31		$\frac{1}{2},000$	H	Α	
77	32	Pinatype Carmine	1/500	$\widetilde{\mathbf{H}}$	A	
78	32	Pinatype Carmine	1/5,000	Ĥ	Ā	2-3
79	32	Rapid Filter Blue		Ĥ	Ā	2-3
80	32	Rapid Filter Blue	1/1,000	11		
81	კვ	Rosinduline 2 B	1 /0 500	H	\mathbf{A}	
		Bluish	1/2,500	Badische *	A	2-3
82	33	Acid Violet 4 R	1/2,500	Badische *	A	2-3
83	33	Acid Violet 4 R	1/2,000		A	2-0
84	33	Chromotrope F 4B	1/2,000	H *	A	
85	34	Chromotrope 10 B	1/2,500	H *	A	
86	34	Acid Chrome Blue		TT		
		2 R .	1/2,500	$\mathbf{H}_{\mathbf{J}}$	A	
87	34	Acid Chrome Blue	1/2,500	H *	A	
88	34	Echt Beizenblau	1/2,000	H*	A	, -
89	35	Fuchsine	1/2,500	Bayer *	В	4-5
90	35	Rubin Fuchsine	1/2,500	\mathbf{H}	В	4-5
91	35	Methyl V10let B B R	1/2,500	\mathbf{H}	В	5
92	35	Methyl Violet 6 B	1/2,500	*	В	5
93		Methyl Violet 1 B	1/16,000	Bayer *	В	5
94		Crystal Violet	1/10,000	H	В	
95		Crystal Violet	1/5,000	H	В	
96		Gentian Violet	1/2,000	Bayer *	В	
97		Acid Violet B N.	1/300	H*	Α	4-5
98		Acid Violet 4 B C	1/2,500	Badische *	Α	4-5
99		Acid Violet 4 B C	$\frac{1}{500}$	Badische *	A	4-5
			$\frac{1}{2},500$	H	B	4-5
100			$\frac{1}{2},500$ $\frac{1}{2},500$	H *	B	3
101				H*	Ā	3
102			1/5,000	H*	A	3
103			1/1,000	Badische *	В	•
104	1 38	Victoria Pure Blue F	3 1/10,000	Dauische	J.	

No	Page	Name of Dye	Strength	Source of Dye	Acıd or Basıc	Stability to Light
105	39	Victoria Pure Blue	J	,		
		⅓B	1/2,000	Badische *	В	
106	39	Victoria Blue B	1/10,000	Badische *	В	4-5
107	39	Victoria Blue B .	1/2,500	Badische *	\mathbf{B}	4-5
108	39	Victoria Blue B S	1/10,000	Badische *	В	4-5
109	40	Victoria Blue B S S	1/10,000	Badische *	\mathbf{B}	4-5
110	40	Victoria Blue 4 R	1/10,000	Badısche *	В	4-5
111	40	Victoria Blue 4 R	1/5,000	Badısche *	В	4-5
112	40	Victoria Blue R	1/10,000	Badısche *	В	4-5
113	41	Victoria Blue R	1/5,000	Badische *	${\tt B}$	4-5
114	41	Night Blue	1/5,000	Badische *	В	
115	41	Night Blue	1/2,000	Badische *	В	
116	41	Pinatype Blue	1/5,000	\mathbf{H}	\mathbf{A}	3
117	42	Toluidine Blue	1/5,000	\mathbf{H}	\mathbf{A}	1
118	42	Toluidine Blue (red	•			
		end only)	1/10,000	H	\mathbf{A}	
119	42	Toluidine Blue (red	•			
		end only)	1/1,000	H	\mathbf{A}	
120	42	Methylene Blue	1/10,000	\mathbf{H}	\mathbf{B}	2-3
121	43	Methylene Blue	1/5,000	H	В	2-3
122	43	Methylene Blue (red	• •			
		end only)	1/5,000	H	В	2-3
123	43	Thionine Blue	1/10,000	\mathbf{H}	В	
124	43	Janus Green	1/1,000	H*	В	4-5
125	44	Patent Blue A	1/10,000	H	\mathbf{A}	3
126	44	Patent Blue A.	1/2,500	\mathbf{H}	\mathbf{A}	3
127	44	Patent Blue V	1/10,000	Ħ	A	3
128	44	Patent Blue V	1/5,000	\mathbf{H}	\mathbf{A}	3
129	45	Patent Blue V	1/1,000	\mathbf{H}	\mathbf{A}	3
130	45	Cyanine Blue	1/10,000	\mathbf{H}	\mathbf{A}	3
131	45	Erioglaucine A	1/10,000	Geigy *	A	3
132	45	Erioglaucine A	1/1,000	Geigy *	A	3
133	46	Setoglaucine	1/5,000	Geigy *	В	
134	46	Turkish Blue BB	1/10,000	Bayer *	A	
135	46	Turkish Blue BB	1/1,ó00	Bayer *	A	
136	46	Methylene Green	1/5,000	Ĥ *	В	2
137	47	Methylene Green	1/1,000	H*	$\tilde{\mathbf{B}}$	2
138	47	Iodine Green	1/10,000	H *	$\tilde{\mathtt{B}}$	5
139	47	Iodine Green	1/1,000	H *	B	5
140	47	Fast Green Blue	, , , , , , , , , , , , , , , , , , , ,		_	•
		Shade	1/1,000	Bayer *	Α	
141	48	Complementary	, ,	,		
		Green 1	1/10,000	H	Α	4
142	48	Complementary	, , , , , ,	,		_
		Green 1	1/1,000	H	Α	4
143	48	Solid Green	1/1,000	Bayer	Ā	-
			, ,			

				g (5)		Stability to Light
No	Page	Name of Dye	Strength	Source of Dye	Basic	to Digit
144	48	NewSolidGreen 3B	1/10,000	\mathbf{H}	A	
145	49	NewSolid Green 3B	1/1,000	\mathbf{H}	A.	
146	49	Naphthaline Green	1/10,000	\mathbf{H}	A	3-4
147	49	Naphthaline Green	1/1,000	\mathbf{H}	A	3-4
148	49	Rapid Filter Green	1/10,000	H	A	3
149	50	Rapid Filter Green	1/1,000	\mathbf{H}	A.	3
150	50	Acid Green	1/5,000	H *	A	4
151	50	Acid Green .	1/1,000	H *	\mathbf{A}	4
$\overline{152}$	50	Emerald Green	1/1,000	Bayer *	В	
153	51	Brilliant Green .	1/5,000	*	В	4
154	51	Diamond Green	1/10,000	Badısche *	В	
155	51	Diamond Green .	1/1,000	Badische *	В	
156	51	Victoria Green 1	1/10,000	Bayer *	В	
157	52	Victoria Green 1	1/1,000	Bayer *	\mathbf{B}	
158	$5\overline{2}$	Eboli Green	1/1,000	Leonhardt *	A	
159	52	Naphthol Green	•			
100	••	(red end only)	1/5,000	\mathbf{H}	Α	1-2
160	52	Naphthol Green				1.0
		(red end only)	1/1,000	H	A	1-2
1 61	53	Naphthol Green	1/1,000	\mathbf{H}	A	1-2
162	53	Naphthol Green 2 6				
		(red end only)	1/2,500	H	A	
163	53	Naphthol Green 2 6	1/1,000	H	A	
164	53	Pinatype Green M				•
		(red end only)	1/5,000	H	Ą	1
165	54	Pinatype Green M	1/1,000	H	\mathbf{A}	1
166		Toluidine Green	•			
		(red end only)	1/2,000	H	A	1
167	54		1/1,000	H	A	3-4
168		Filter Blue Green				
		(red end only)	1/500	H	A.	3-4
169	55	, , ,				
		(red end only)	1/200	H	A	3-4
170	55		•			0.4
		(red end only)	1/100	H	A	3-4
		\	•			

INDEX OF FILTERS.

		INDEX O	rr	ILI	ERS.
No	Pag	e Name of Filter	No	Pag	Nome of Tales
1	56	β -Naphtholdisulphonic	40		
		Acid	41	66	
2	56	Æsculine	42	66	
3	56	Picric Acid "D"	43	66	
4	56	Picric Acid "C"	44	66	
5	57	Picric Acid "B"	**	00	Minus Red 4 Standard
6	57	Picric Acid "A"	1 2 2	OH.	Complementary
7	57	K1	45	67	H M.
8	57	K2	46	67	η Blue
9	58	K3 M.	47	67	C (light)
10	58		48	67	Cl M. Standard
11	58	Tartrazine 1			Tricolour
$\frac{11}{12}$		Tartrazine 2	49	68	C2
12	58	Minus Blue Standard	50	68	Mercury Violet Mer-
7.0	F 0	Complementary			cury Monochromat
13	59	GA 1	1		(Contrast "L")
14	59	GA4	51	68	Naphthol Green 1
15	59	G M.	52	68	Naphthol Green 2
16	59	Flavazine T	53	69	Naphthol Green 3
17	60	p-nitrosodimethylaniline	54	69	Naphthol Green 4
18	60	Ultraviolet Filter	55	69	Stereo Green
19	60	Mandarine Orange	56	69	B3
20	60	Monobromofluoresceine	57	70	B2 (light)
		(light)	58	70	B2 (nght)
21	61	Monobromofluoresceine	59	70	
		(dark)	100	10	
22	61	E2 M.	60	70	Tricolour Green
23	61	E1	61	71	δ Green (Contrast "P")
24	61	E (red)	01	11	Additive Green (Contrast
25	$\hat{62}$	A M. Standard	62	77	"N")
	-	Tricolour	0.4	71	Mercury Green Mercury
26	62	Stereo Red	60	77	Monochromat
$\tilde{27}$	62	F1	63	71	€ Green
28	62	F2	64	71	Minus Red 3 (light)
29	63		65	72	Minus Red 3
30	63	F3 M.	66	72	Rapid Filter Green
31	63	Rose Bengal	67	72	γ Green 2
32		Minus Green 1	68	72	γ Green 3
32	63	Minus Green 3 Stan-	69	73	γ Green 4
0.0		_dard Complementary	70	73	a (Monochromat)
33	64	Xylene Red			(Contrast "R")
34	64	D (light)	71	73	β (Monochromat)
35	64	D M.	72	73	γ (Monochromat)
36	64	Methyl Violet B.B R	73	74	δ (Monochromat)
37	65	β Blue	74	74	€ (Monochromat)
38	65	β Blue (dark)	75	74	η (Monochromat)
3 9	65	Blue 203	76	74	θ (Monochromat)
		I	-		\

SPECIAL SERIES OF FILTERS INCLUDED IN THE FILTER LIST.

K2	7 7 8 2 0 7 6 3 8 2 0 7
K2 . 8 5 K3 9 5 Tricolour Standard . Red . 25 . 6 Green . 59 . 7 8 6	8 2 0 7 6 3 8 2
Tricolour Standard . . Red . . . 6 Green . <	2 0 7 6 3 8 2
Green . 59 7 Blue 48 6	0 7 6 3 8 2
Green . 59 7 Blue 48 6	7 6 3 8 2
	6 3 8 2
	3 8 2 0
	8 2 0
Minus Green 32 6	2
	0
B 59 7	7
\mathbf{D} 35	4
${f E}$ 22 ${f e}$	1
F 29 6	3
\mathbf{G} 15 5	9
	7
	8
	3
	3
γ 72	73
	74
€ 74	14
η 75	7 4
$\dot{ heta}$ 76	74
Mercury Vapour Lamp Mono- Green 62	71
chromats Yellow (E 2) 22	31
Violet 50	38
	38
"M" set N (Pure Green) 61	71
P (Blue Green) 60	70
	73

Dyes.



Fig. 1 β Naphtholdisulphonic Acid R 1/2,500 (Blue end only)



Fig. 2 $-\beta$ Naphtholdisulphonic Acid. R. 1/100 (Blue end only)



Fig 3 Esculine 1/1,000 (Blue end only)




Fig 4 Pictic Acid 1/100



Fig 5 Filter Yellow K 1/1,000 (Blue end only)



Fig 6 Martius Yellow 1/2,500 (Blue end only)




Fig 7 Aurophenine Ammonia Salt 1/1,000 (Blue end only)



Fig 8 Naphthol Yellow 1/1,000 (Blue end only)



Fig 9 Beizengelb O 5 G 1/1,000 (Blue end only)



Fig 10 Pinatype Yellow F 1/5,000 (Blue end only)




Fig 11 Thiazole Yellow 1/2,500 (Blue end only)



Fig 12 Auramine 1/10,000 (Blue end only)



Fig. 13 p nitrosodimethylamline 1/2,000 (Blue end only)



Fig 14 Tutrazine 1/5,000 (Blue end only)



Fig 15 Pinaty pe Gold Yellow 1/5,000 (Blue end only)



Fig. 16 Mandaime Orange 1/10,000 (Blue end only)



Fig. 17 ρ toluchinolinchloracetic esterdy estuff 1/1,000 (Blue end only)



Fig 18 Flavophosphine 1/10,000 (Blue end only)




Fig. 19 Actiding Orange 1/5,000 (Blue end only)



Fig. 20. Amacine G. 1/5,000 (Blue end only)




Fig 21 Urinine 1/5,000 (Blue end only)




Fig 22 Chiysoidine 1/10,000 (Blue end only)




Fig 23 Chrysoidine 1/1,000



Fig 24 Pinatype Purple 1/1,500



Fig 25 Pinatype Red 1/1,500




Fig 26 Fast Red 1/1,000



Fig 27 Rapid Filter Red 1/2,000



Fig 28 Rapid Filter Red 1/1,000



Fig 29 Rapid Filter Red 1,200



Fig 30 Complementary Scarlet 1/1,500




Fig 31 Complementary Scarlet 1/1,000



Fig 32 Complementary Scarlet 1/800




Fig 33 Complementary Red 1 1/2,000



Fig 34 Complementary Red 1 1/1,000



Fig. 35 Complementary Red D. 1/1,500



Fig 36 Bulliant Carmine C 1/2,000




Fig 37 Crystal Ponceau 1/1,000



Fig 38 Crystal Ponceau 1/500



Fig 39 Brilliant Croceine 1/2,000



Fig 40 Coccinine 1/1,000




Fig 41 Alizarine Red 1/2,000




Fig 42 Congo Red 1/2,000



Fig 43 Congo Red 1/1,000




Fig 44 Iodobenzom 92 1/200



Fig 45 Azine Scarlet 1/500




Fig 46 Fluorescinate of Sodium 1/1,000




Fig 47 Monobromofluorescinate of Sodium 1/1,000




Fig 48 Dibromofluorescinate of Sodium 1/1,000




Fig 49 Eosine Yellow Bayer 1/1,000




Fig 50 Eosme Blue 1/1,000



Fig. 51 Tetrabromofluorescinate of Sodium 1/1,000




Fig 52 Dirodofluorescinate of Sodium 1/1,000



Fig. 53 Tetraiodofluorescinite of Sodium 1/1,000




Fig 54 Scarlet B B extra N 1/1,000



Fig. 55 Scarlet B B extra B 1/2,000



Fig 56 Scarlet B B extra B 1/1,000



Fig 57 Rose Bengal 1/1,500




Fig 58 Rose Bengal 1/1,000




Fig 59 Rose Bengal 5 B 1/4,000




Fig 60 Rose Bengal 5 B 1/400



Fig 61 Cyanosine 1/1 000



Fig 62 Phlovine B A Extra 1/1,000




Fig 63 Phloxine 194 1/1,000



Fig 64 Phloxine A 1/3,000



Fig 65 Phloxine Rhodamine 1/1,000



Fig 66 Rhodamine 6 (1/1,000




Fig 67 Tetramethyl Rhodamine 1/2,000




Fig 68 Acid Rhodamine 3 R 1/1,000




Fig 69 Rhodamine B 1/1,000



Fig 70 Phenosifianine 1/2,000




Fig 71 Xylene Red B 1/2,500



Fig 72 Amidonaphthol Red 6 B 1/2,500



Fig 73 Safranine G 1/2 500



Fig. 74 Satranine R 1/2,500




Fig 75 Pinatype Amaranth 1/1,000




Fig 76 Pmatype Violet 1/2,000



Fig 77 Pinatype Carm ne 1/2,000



Fig 78 Pinatype Carmine 1/500




Fig 79 Rapid Filter Blue 1/5,000



Fig 80 Rapid Filter Blue 1/1,000




Fig 81 Rosinduline 2 B Bluish 1/2,500




Fig 82 Acid Violet 4 R 1/2,500



Fig. 83 Acid Violet 4 R. 1/2,000




Fig. 84 Chromotrope F 4 B 1/2,000




Fig 85 Chromotrope 10 B 1/2,500




Fig. 86 Acid Chrome Blue 2 R. 1/2500



Fig 87 Acid Chrome Blue 1/2,500



Fig 88 Echt Beizenblau 1/2,000




Fig 89 Fuchsine 1/2,500




Fig 90 Rubin Fuchsine 1/2,500



Fig 91 Methyl Violet B B R 1/2,500




Fig 92 Methyl Violet 6 B 1/2,500



Fig 93 Methyl Violet 1 B 1/16,000



Fig 94 Crystal Violet 1/10,000



Fig 95 Ciystal Violet 1/5,000



Fig 96 Gentim Violet 1/2 000




Fig 97 Acid Violet B N 1/300



Fig 98 Acid Violet 4 B C 1/2,500



Fig. 99 Acid Violet 4 B C 1/500




Fig 100 Rhoduline Blue P 1/2,500




Fig 101 Aniline Blue 1/2,500




Fig 102 Alkih Blue 1/5000




Fig 103 Alkalı Blue 1/1,000




Fig. 104 Victoria Pure Blue B. 1/10,000



Fig. 105 Victoria Pure Bluc B. 1/2 000




Fig. 106 Victoria Blue B. 1/10,000



Fig. 107 - Victoria Blue B 1/2,500




Fig. 108 - Victoria Blue B S 1/10,000




Fig 109 Victoria Blue B S S 1/10,000




Fig 110 Victoria Blue 4 R 1/10 000




Fig 111 Victoria Blue 4 R 1/5 000,




Fig 112 Victoria Blue R 1/10,000




Fig. 113 Victoria Blue R. 1/5,000



Fig. 114 Night Blue 1/5,000




Fig. 115 Night Blue 1/2,000




Fig. 116 Pinatype Blue 1/5 000




Fig 117 Toluidine Blue 1/5,000




Fig 118 Toluidine Blue 1/10,000 (Red end only)



Fig 119 Toluidine Blue 1/1,000 (Red end only)




Fig 120 Methylene Blue 1/10,000




Fig 121 Methylene Blue 1/5,000



Fig 122 Methylene Blue 1/5,000 (Red end only)



Fig 123 Thionine Blue 1/10,000




Fig 124 Janus Green 1/1,000




Fig 125 Patent Blue A 1/10 000




Fig 126 Patent Blue A 1/2,500




Fig 127 Patent Blue V 1/10,000




Fig 128 Pitent Blue V 1/5,000




Fig 129 Patent Blue V 1/1,000




Fig 130 Cyanine Blue 1/10,000




Fig 131 Enoglaueine A 1/10,000




Fig 132 Enoglaucine A 1/1,000



Fig 133 Setoglaucine 1/5,000




Fig 134 Turkish Blue B B 1/10,000



Fig 135 Turkish Blue B B 1/1,000




Fig 136 Methylene Green 1/5,000



Fig 137 Methylene Green 1/1,000




Fig 138 Iodine Green 1/10,000




Fig 139 Iodine Green 1/1,000




Fig 140 Fast Green Blue Shade 1/1,000



Fig 141 Complementary Green 1 1/10 000



Fig 142 Complementary Green 1 1/1,000




Fig 143 Solid Green 1/1,000




Fig 144 New Solid Green 1/10,000



Fig 145 New Solid Green 1/1,000




Fig 146 Naphthaline Green 1/10,000




Fig 147 Naphthaline Green 1/1,000




Fig 148 Rapid Filter Green 1/10,000



Fig 149 Rapid Filter Green 1/1,000




Fig 150 Acid Green 1/5,000




Fig 151 Acid Green 1/1,000




Fig 152 Emerald Green 1/1,000



Fig 153 Brilliant Green 1/5,000




Fig 154 Diamond Green 1/10,000




Fig 155 Diamond (free 1/1,000




Fig 156 Victoria Green 1 1/10,000




Fig 157 Victoria Green 1 1/1,000




Fig 158 Eboli Green 1/1,000




Fig 159 Naphthol Green 1/5,000 (Red end only)



Fig. 160 Naphthol Green 1/1 000 (Red end only)




Fig 161 Naphthol Green 1/1,000



Fig 162 Naphthol Green 26 1/2,500 (Red end only)




Fig 163 Naphthol Green 26 1/1,000




Fig 164 Pinatype Green M 1/5,000 (Red end only)



Fig 165 Pinatype Green M 1/1,000



Fig 166 Toluidine Green 1/2,000 (Red end only)




Fig 167 Filter Blue Green 1/1,000




Fig 168 Filter Blue Green 1/500 (Red end only)



Fig 169 Filter Blue Green 1/200 (Red end only)



Fig 170 Filter Blue Green 1/100 (Red end only)

Filters.




Fig 1 β Naphtholdisulphonic Acid



Fig 2 Æsculine



Fig 3 Picrie Acid "D'




Fig 4 Picite Acid "C"




Fig 5 Pierre Acid "B'




Fig 6 Pieric Acid "A"



Fig 7 Kl




Fig 8 K2



F1g 9 K 3 M




Fig 10 Tartrizine 1




Fig 11 Tartrazme 2




Fig 12 Minus Blue Standard Complementary




Fig 13 GA 1




Fig 14 († A 4




Fig 15 G M




Fig 16 Flavazine T



Fig 17 p nitrosodimethylaniline



Fig 18 Ultraviolet Filter



Fig 19 Mandarine Orange



Fig 20 Monobromofluoresceine (light)




Fig. 21 Monobiomofluoresceine (dark)



Fig 22 E2 "M"



Fig 23 E1



Fig 24 E (red)



Fig 25 A M Standard Tricolour




Fig 26 Stereo Red



F1g 27 F1



Fig 28 F2



Fig 29 F; M




Fig 30 Rose Bengal



Fig 31 Minus Green 1



Fig 32 Minus Green 3 Standard Complementary



Fig 33 Xylene Red



١

Fig 34 D (light)



Fig 35 D M



Fig 36 Methyl Violet BBR



Fig 37 \$ Blue



Fig 38 β Blue (dark)




Fig 39 Blue 203



Fig 40 Blue 316



Fig 41 Blue 363




Fig 42 Blue 445



Fig 43 Minus Red 2




Fig 44 Minus Red 4 Standard Complementary



Fig 45 H M



Fig 46 η Blue



Fig 47 C (light)



Fig 48 Cl M Standard Tircoloui



Fig 49 C2



Fig 50 L Mercury Violet Mercury Monochromat



Fig 51 Naphthol Green 1




Fig 52 Naphthol Green 2



Fig 53 Naphthol Green 3



Fig 54 Naphthol Green 4



Fig 55 Stereo Green




Fig 56 B3




Fig 57 B2 (light)



Fig 58 B2



Fig 59 B M Standard Tricolour Green



Fig 60 P & Green



Fig 61 N Additive Green



Fig 62 Mercury Green (Mercury Monochrom it)



Fig 63 & Green




Fig 64 Minus Red 3 (light)



Fig 65 Minus Red 3




Fig 66 Rapid Filter Green



Fig 67 y Green 2




Fig 68 7 Green 3



Fig 69 γ (freen 4



Fig 70 a (Monochromat)



Fig. 71 β (Monochiomat)



Fig 72 \(\gamma \) (Monochiomit)



Fig 73 δ (Monochromat)



Fig 74 ϵ (Monochromat)




Fig 75 η (Monochromat)



Fig 76 θ (Monochromat)